



Safety Data Sheet White waterbased exterior primer

Safety Data Sheet dated 11/2/2017, version 3


Mixture identification:	
Trade name:	White waterbased exterior primer
Other means of identification:	
Trade code:	6FWP630
Recommended use of the chemical and restrictions of Recommended use:Surface coating	on use
Restrictions on use:	
Name, address, and telephone number of the chemic	cal manufacturer, importer, or other responsible party
Company:	sa manuacturer, importer, or other responsible party
Sirca S.p.A.	
Address:	
Viale Roma, 85 35010 S.Dono di Massanzago (PD) - ITALY	,
Tel. +39 0499322311	
Distributed by:	
GEMINI INDUSTRIES, INC.	
2300 Holloway Drive El Reno, OK 73036	
USA	
Tel. 1-800-262-5710	
Fax 1-405-262-9310	
www.gemini-coatings.com	
Competent person responsible for the safety data she	eet:
safety@sirca.it	
Emergency phone number For Hazardous Materials [or Dangerous Go	ods] Incident
Spill, Leak, Fire, Exposure, or Accident	
Call CHEMTREC Day or Night	
1-800-424-9300 / +1 703-527-3887.	
ARD(S) IDENTIFICATION	
Classification of the chemical	
Warning, Carc. 2, Suspected of caus	ing cancer.
V	
Aquatic Acute 3, Harmful to aquatic li	
Aquatic Chronic 3, Harmful to aquatic	c life with long lasting effects.
Label elements	
Hazard pictograms:	
Warning	
Hazard statements:	
Hazard statements: H351 Suspected of causing cancer.	
Hazard statements:	g effects.
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements:	•
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements: P201 Obtain special instructions before use	-
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin Precautionary statements: P201 Obtain special instructions before use P202 Do not handle until all safety precautio	-
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements: P201 Obtain special instructions before use	e. ons have been read and understood.
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements: P201 Obtain special instructions before use P202 Do not handle until all safety precautic P273 Avoid release to the environment. P280 Wear protective gloves/protective clot P308+P313 IF exposed or concerned: Get r	ons have been read and understood. hing/eye protection/face protection.
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements: P201 Obtain special instructions before use P202 Do not handle until all safety precautio P273 Avoid release to the environment. P280 Wear protective gloves/protective clot P308+P313 IF exposed or concerned: Get r P405 Store locked up.	b bons have been read and understood. hing/eye protection/face protection. medical advice/attention.
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements: P201 Obtain special instructions before use P202 Do not handle until all safety precautio P273 Avoid release to the environment. P280 Wear protective gloves/protective clot P308+P313 IF exposed or concerned: Get r P405 Store locked up. P501 Dispose of contents/container in acco	b bons have been read and understood. hing/eye protection/face protection. medical advice/attention.
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements: P201 Obtain special instructions before use P202 Do not handle until all safety precautio P273 Avoid release to the environment. P280 Wear protective gloves/protective clot P308+P313 IF exposed or concerned: Get r P405 Store locked up.	b bons have been read and understood. hing/eye protection/face protection. medical advice/attention.
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements: P201 Obtain special instructions before use P202 Do not handle until all safety precautio P273 Avoid release to the environment. P280 Wear protective gloves/protective clot P308+P313 IF exposed or concerned: Get r P405 Store locked up. P501 Dispose of contents/container in acco Special Provisions:	, bons have been read and understood. hing/eye protection/face protection. medical advice/attention. rdance with applicable regulations.
Hazard statements: H351 Suspected of causing cancer. H402 Harmful to aquatic life. H412 Harmful to aquatic life with long lastin. Precautionary statements: P201 Obtain special instructions before use P202 Do not handle until all safety precautio P273 Avoid release to the environment. P280 Wear protective gloves/protective clot P308+P313 IF exposed or concerned: Get rr P405 Store locked up. P501 Dispose of contents/container in acco Special Provisions: None	, bons have been read and understood. hing/eye protection/face protection. medical advice/attention. rdance with applicable regulations.



White waterbased exterior primer

Ingredient(s) with unknown acute toxicity: None. Additional classification information







White waterbased exterior primer

water.			
Carbon dioxide (CO2).			
Unsuitable extinguishing media:			
None in particular.			
Specific hazards arising from the cher	nical		
Do not inhale explosion and	combustion gases.		
Burning produces heavy smo	oke.		
Hazardous combustion products:			
None			
Explosive properties:	N.A.		
Oxidizing properties:	N.A.		
Special protective equipment and pred	cautions for fire-fighters		
Use suitable breathing appar	ratus.		
Collect contaminated fire ext	inguishing water separate	ly. This must not be discharged into drains.	
Move undamaged containers	s from immediate hazard a	area if it can be done safely.	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Provide adequate ventilation. Remove persons to safety. Use appropriate respiratory protection. See protective measures under point 7 and 8. Methods and materials for containment and cleaning up Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists.

- Exercise the greatest care when handling or opening the container.
- Do not use on extensive surface areas in premises where there are occupants.
- Don't use empty container before they have been cleaned.
- Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
- Contamined clothing should be changed before entering eating areas. Do not eat or drink while working.

See also section 8 for recommended protective equipment.

- Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. Storage temperature:
 - Store at ambient temperature.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

. Titanium dioxide - CAS: 13463-67-7

Worker Industry: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects Worker Professional: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects Consumer: 700 mg/kg/day - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

- Titanium dioxide CAS: 13463-67-7 Target: Fresh Water Value: 0.127 mg/l Target: Marine water Value: 0.127 mg/l

 - Target: Soil (agricultural) Value: 100 mg/kg
 - Target: Soli (agricultural) Value: 100 mg/kg Notes:: dry Target: Freshwater sediments Value: 1000 mg/kg Notes:: dry Target: Soli (agricultural) Value: 100 mg/kg Notes:: alimento Target: orally (secondary poisoning) Value: 1667 mg/kg

Appropriate engineering controls:

None Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens. Protection for skin:

6FWP630/3 Page n. 3 of 6



White waterbased exterior primer

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection:

Not needed for normal use. Thermal Hazards:

None

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	liquid
Odour:	characteristic
Odour threshold:	N.A.
pH:	N.A.
Melting point / freezing point:	< 1° C
Initial boiling point and boiling range:	> 55° C
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	N.A.
Flash point:	>=93°C (>= 199°F)
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	1.2800 Kg/l a 20°C
Solubility in water:	N.A.
Solubility in oil:	N.A.
Partition coefficient (n-octanol/water):	N.A.
Auto-ignition temperature:	> 250° C
Decomposition temperature:	N.A.
Viscosity (typical value):	17000.00 cPs Brookfield
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	N.A.

10. STABILITY AND REACTIVITY

Reactivity Stable under normal conditions Chemical stability Stable under normal conditions Possibility of hazardous reactions No dangerous reaction is stored and used appropriately. Conditions to avoid Stable under normal conditions. Incompatible materials None in particular. Hazardous decomposition products None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Toxicological information of the product: N.A. Toxicological information of the main substances found in the product: Titanium dioxide - CAS: 13463-67-7 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 6.82 mg/l - Duration: 4h Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg b) skin corrosion/irritation: Test: Eye Irritant - Species: Rabbit No Test: Skin Irritant - Species: Rabbit No d) respiratory or skin sensitisation: Test: Skin Sensitization - Species: Mouse No i) STOT-repeated exposure: Test: NOAEL - Species: Rat 3500 mg/kg/day - Source: polmoni Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-(dodecyloxy)-, sodium salt - CAS: 9004-82-4 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 1600 mg/kg

Substance(s) listed on the NTP report on Carcinogens:

6FWP630/3 Page n. 4 of 6



Safety Data Sheet White waterbased exterior primer None

Substance(s) listed on the IARC Monographs: Titanium dioxide - Group 2B. Substance(s) listed as OSHA Carcinogen(s): None. Substance(s) listed as NIOSH Carcinogen(s): None.

12. ECOLOGICAL INFORMATION

Ecotoxicity Adopt good working practices, so that the product is not released into the environment. Titanium dioxide - CAS: 13463-67-7 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96 Endpoint: EC50 - Species: Algae = 61 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48 Poly(oxy-1,2-ethanediyl), alpha-sulfo-omega-(dodecyloxy)-, sodium salt - CAS: 9004-82-4 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia > 3.12 mg/l - Duration h: 48 Persistence and degradability N.A. Bioaccumulative potential N.A. Mobility in soil N.A. Other adverse effects None

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

UN number Not classified as dangerous within the meaning of transport regulations. UN proper shipping name N.A. Transport hazard class(es) ΝΑ Packing group N.A. Environmental hazards ADR-Environmental pollutant: No IMDG-Marine pollutant: No Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) No Special precautions N.A.

15. REGULATORY INFORMATION

USA - Federal regulations TSCA - Toxic Substances Control Act TSCA inventory: all the components are listed on the TSCA inventory. TSCA listed substances: None.

SARA - Superfund Amendments and Reauthorization Act Section 302 - Extremely Hazardous Substances: no substances listed. Section 304 – Hazardous substances: no substances listed. Section 313 – Toxic chemical list: no substances listed. CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act No substances listed. CAA - Clean Air Act CAA listed substances: None. CWA - Clean Water Act CWA listed substances: None.

6FWP630/3 Page n. 5 of 6



White waterbased exterior primer

USA - State specific regulations California Proposition 65 Substance(s) listed under California Proposition 65: None. Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: Titanium dioxide. New Jersey Right to know Substance(s) listed under New Jersey Right to know: Titanium dioxide. Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to know: Titanium dioxide.

16. OTHER INFORMATION

Text of phrases referred to under heading 3: H351 Suspected of causing cancer. H302 Harmful if swallowed.

Safety Data Sheet dated 11/2/2017, version 3 Disclaimer: The information contained herein is based on a

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This Safety Data Sheet cancels and replaces any preceding release.

ADR: CAS: CLP: DNEL: EINECS: GHS: HMIS: IARC: IATA: IATA-DGR: ICAO: ICAO: ICAO-TI: IMDG: INCI: KSt: LC50: LD50: NFPA: NIOSH: NTP: OSHA: PNEC: RID: STEL: STEL:	European Agreement concerning the International Carriage of Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society). Classification, Labeling, Packaging. Derived No Effect Level. European Inventory of Existing Commercial Chemical Substances. Globally Harmonized System of Classification and Labeling of Chemicals. Hazardous Materials Identification System International Agency for Research on Cancer International Air Transport Association. Dangerous Goods Regulation by the "International Air Transport Association" (IATA). International Civil Aviation Organization. Technical Instructions by the "International Civil Aviation Organization" (ICAO). International Mairtime Code for Dangerous Goods. International Nomenclature of Cosmetic Ingredients. Explosion coefficient. Lethal concentration, for 50 percent of test population. Lethal dose, for 50 percent of test population. National Fire Protection Association National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Predicted No Effect Concentration. Regulation Concerning the International Transport of Dangerous Goods by Rail. Short Term Exposure limit.
STEL: STOT:	Short Term Exposure limit. Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average