



Safety Data Sheet White WB paste

Safety Data Sheet dated 11/20/2018, version 4

| 1. IDENTIFICATION | |
|---|--|
| Product identifier | |
| Mixture identification: | |
| Trade name: Other means of identification: | White WB paste |
| | 6PNW130 |
| Recommended use of the chemical and restrictions on | |
| Recommended use:Surface coating | |
| Restrictions on use: | |
| Name, address, and telephone number of the chemica | I manufacturer importer or other responsible party |
| Company: | ······································ |
| Sirca S.p.A. | |
| Address: | |
| Viale Roma, 85 | |
| 35010 S.Dono di Massanzago (PD) - ITALY Tel. +39 0499322311 | |
| Distributed by: | |
| GEMINI INDUSTRIES, INC. | |
| 2300 Holloway Drive | |
| El Reno, OK 73036 | |
| USA | |
| Tel. 1-800-262-5710 Fax 1-405-262-9310 | |
| www.gemini-coatings.com | |
| 3 | |
| Competent person responsible for the safety data shee | et: |
| safety@sirca.it | |
| Emergency phone number For Hazardous Materials [or Dangerous Good | tel Incident |
| Spill, Leak, Fire, Exposure, or Accident | |
| Call CHEMTREC Day or Night | |
| 1-800-424-9300 / +1 703-527-3887. | |
| Warning, Carc. 2, Suspected of causing | g cancer. |
| | |
| Label elements Hazard pictograms: | |
| | |
| | |
| | |
| | |
| \mathbf{v} | |
| Warning | |
| Hazard statements: | |
| H351 Suspected of causing cancer. | |
| Precautionary statements: | |
| P201 Obtain special instructions before use. | a have been read and understand |
| P202 Do not handle until all safety precaution P280 Wear protective gloves/protective clothi | |
| P308+P313 IF exposed or concerned: Get me | |
| P405 Store locked up. | |
| P501 Dispose of contents/container in accord | lance with applicable regulations. |
| Special Provisions: | |
| None Hazards not otherwise classified identified during the c | lassification process: |
| None | assincation process. |
| Ingredient(s) with unknown acute toxicity: | |
| None. | |
| | |
| | |
| | |
| 6PNW130/4 | |
| | |



White WB paste Additional classification information NFPA rating: HMIS rating: HEALTH *



3. COMPOSITION/INFORMATION ON INGREDIENTS

Substances N.A Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

>= 48% - < 75% Titanium dioxide

REACH No.: 01-2119489379-17-xxxx, CAS: 13463-67-7, EC: 236-675-5

Œ A.6/2 Carc. 2 H351

4. FIRST-AID MEASURES

Description of necessary measures In case of skin contact:

Immediately take off all contaminated clothing.

- Areas of the body that have or are only even suspected of having come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.
 - Wash thoroughly the body (shower or bath).
- Remove contaminated clothing immediately and dispose off safely.
- In case of eyes contact:
- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- In case of Ingestion:
- Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
- In case of Inhalation:
- Remove casualty to fresh air and keep warm and at rest. Most important symptoms/effects, acute and delayed

None

Indication of immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment: None

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

- Water.
- Carbon dioxide (CO2).
- Unsuitable extinguishing media:
- None in particular. Specific hazards arising from the chemical
 - Do not inhale explosion and combustion gases.



White WB paste

Burning produces heavy smoke. Hazardous combustion products: None Explosive properties: N.A. Oxidizing properties: N.A. Special protective equipment and precautions for fire-fighters Use suitable breathing apparatus . Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Provide adequate ventilation. Remove persons to safety. Use appropriate respiratory protection. See protective measures under point 7 and 8. Methods and materials for containment and cleaning up Wash with plenty of water.

7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Exercise the greatest care when handling or opening the container. Do not use on extensive surface areas in premises where there are occupants. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. Storage temperature: Store at ambient temperature.

| | CONTROLS/PERSONAL PROTECTION |
|------------|---|
| Control pa | ianieters iitanium dioxide - CAS: 13463-67-7 |
| | |
| | ACGIH - TWA(8h): 10 mg/m3 - Notes: A4 - LRT irr |
| | iosure Limit Values |
| I | itanium dioxide - CAS: 13463-67-7 |
| | Worker Industry: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects |
| | Worker Professional: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects |
| | Consumer: 700 mg/kg/day - Exposure: Human Oral - Frequency: Long Term, systemic effects |
| | posure Limit Values |
| 1 | itanium dioxide - CAS: 13463-67-7 |
| | Target: Fresh Water - Value: 0.127 mg/l |
| | Target: Marine water - Value: 0.127 mg/l |
| | Target: Soil (agricultural) - Value: 100 mg/kg |
| | Target: Marine water sediments - Value: 100 mg/kg - Notes:: dry |
| | Target: Freshwater sediments - Value: 1000 mg/kg - Notes:: dry |
| | Target: Soil (agricultural) - Value: 100 mg/kg - Notes:: alimento |
| | Target: orally (secondary poisoning) - Value: 1667 mg/kg |
| | e engineering controls: |
| | lone |
| | protection measures |
| Eye prote | ction: |
| ι | Ise close fitting safety goggles, don't use eye lens. |
| Protection | for skin: |
| ι | Ise clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton. |
| | for hands: |
| ι | Jse protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. |
| Respirato | y protection: |
| ١ | lot needed for normal use. |
| | |



White WB paste

Thermal Hazards: None

| 9. PHYSICAL AND CHEMICAL PROPERTIES | 5 |
|---|-------------------------|
| Appearance and colour: | liquid |
| Odour: | characteristic |
| Odour threshold: | N.A. |
| pH: | N.A. |
| Melting point / freezing point: | < 1° C |
| Initial boiling point and boiling range: | > 55° C |
| Solid/gas flammability: | N.A. |
| Upper/lower flammability or explosive limits: | N.A. |
| Vapour density: | N.A. |
| Flash point: | other >=55°C (>= 131°F) |
| Evaporation rate: | N.A. |
| Vapour pressure: | N.A. |
| Relative density: | 2.2000 Kg/l a 20°C |
| Solubility in water: | N.A. |
| Solubility in oil: | N.A. |
| Partition coefficient (n-octanol/water): | N.A. |
| Auto-ignition temperature: | > 250° C |
| Decomposition temperature: | N.A. |
| Viscosity (typical value): | 60.00 " Din cup # 4 |
| Miscibility: | N.A. |
| Fat Solubility: | N.A. |
| Conductivity: | N.A. |
| Substance Groups relevant properties | N.A. |

10. STABILITY AND REACTIVITY

Reactivity Stable under normal conditions Chemical stability Stable under normal conditions Possibility of hazardous reactions No dangerous reaction is stored and used appropriately. Conditions to avoid Stable under normal conditions. Incompatible materials None in particular. Hazardous decomposition products None.

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Toxicological information of the product: N.A. Toxicological information of the main substances found in the product: Titanium dioxide - CAS: 13463-67-7 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 6.82 mg/l - Duration: 4h Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kgb) skin corrosion/irritation: Test: Eye Irritant - Species: Rabbit No Test: Skin Irritant - Species: Rabbit No d) respiratory or skin sensitisation: Test: Skin Sensitization - Species: Mouse No i) STOT-repeated exposure: Test: NOAEL - Species: Rat 3500 mg/kg/day - Source: polmoni Substance(s) listed on the NTP report on Carcinogens: None. Substance(s) listed on the IARC Monographs: Titanium dioxide - Group 2B. Substance(s) listed as OSHA Carcinogen(s): None. Substance(s) listed as NIOSH Carcinogen(s): None.



White WB paste

12. ECOLOGICAL INFORMATION

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Titanium dioxide - CAS: 13463-67-7

a) Aquatic acute toxicity:

- Endpoint: LC50 Species: Fish > 1000 mg/l Duration h: 96
- Endpoint: EC50 Species: Algae = 61 mg/l Duration h: 72
- Endpoint: EC50 Species: Daphnia > 1000 mg/l Duration h: 48

Persistence and degradability

N.A. Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

None

13. DISPOSAL CONSIDERATIONS

Waste treatment and disposal methods Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

14. TRANSPORT INFORMATION

UN number Not classified as dangerous within the meaning of transport regulations. UN proper shipping name N.A. Transport hazard class(es) N.A. Packing group N.A. Environmental hazards ADR-Environmental pollutant: No IMDG-Marine pollutant: No IMDG-Marine pollutant: No Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) No Special precautions N.A.

15. REGULATORY INFORMATION

USA - Federal regulations TSCA - Toxic Substances Control Act TSCA inventory: all the components are listed on the TSCA inventory. TSCA listed substances: None SARA - Superfund Amendments and Reauthorization Act Section 302 - Extremely Hazardous Substances: no substances listed. Section 304 – Hazardous substances: no substances listed. Section 313 – Toxic chemical list: no substances listed. CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act No substances listed. CAA - Clean Air Act CAA listed substances: None. CWA - Clean Water Act CWA listed substances: None USA - State specific regulations California Proposition 65 Substance(s) listed under California Proposition 65: Titanium Dioxide (airborne, unbound particles of respirable size) is known to the state of California to cause cancer. This listing does not cover titanium dioxide when it remains bound within a product matrix Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: Titanium dioxide. New Jersey Right to know Substance(s) listed under New Jersey Right to know: Titanium dioxide. Pennsylvania Right to know

6PNW130/4 Page n. 5 of 6



Safety Data Sheet White WB paste

Substance(s) listed under Pennsylvania Right to know: Titanium dioxide.

16. OTHER INFORMATION

Text of phrases referred to under heading 3: H351 Suspected of causing cancer.

Safety Data Sheet dated 11/20/2018, version 4 Sections modified from the previous revision:

1. IDENTIFICATION

8. EXPOSURE CONTROLS/PERSONAL PROTECTION 15. REGULATORY INFORMATION

Disclaimer:

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process. This Safety Data Sheet cancels and replaces any preceding release.

| ADR: CAS: CLP: DNEL: EINECS: GHS: HMIS: IARC: IATA: IATA-DGR: ICAO: ICAO-TI: IMDG: INCI: KSt: LC50: LC50: LD50: NFPA: NIOSH: NTP: OSHA: PNEC: RID: STEL: STOT: | European Agreement concerning the International Carriage of Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society). Classification, Labeling, Packaging. Derived No Effect Level. European Inventory of Existing Commercial Chemical Substances. Globally Harmonized System of Classification and Labeling of Chemicals. Hazardous Materials Identification System International Agency for Research on Cancer International Air Transport Association. Dangerous Goods Regulation by the "International Air Transport Association" (IATA). International Civil Aviation Organization. Technical Instructions by the "International Civil Aviation Organization" (ICAO). International Maritime Code for Dangerous Goods. International Nomenclature of Cosmetic Ingredients. Explosion coefficient. Lethal concentration, for 50 percent of test population. Lethal dose, for 50 percent of test population. National Fire Protection Association National Institute for Occupational Safety and Health National Toxicology Program Occupational Safety and Health Administration Predicted No Effect Concentration. Regulation Concerning the International Transport of Dangerous Goods by Rail. Short Term Exposure limit. Specific Target Organ Toxicity. |
|---|---|
| STEL: | Short Term Exposure limit. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |